

# GM Garden<sup>®</sup> Master<sup>®</sup> Sheds



**SUPPLYING  
SHEDS  
TO KIWIS  
SINCE 1974**



**Custom design or off the shelf • Easy assembly • Superior quality that lasts**  
For a quick and easy online quote, visit [www.gardenmastersheds.co.nz](http://www.gardenmastersheds.co.nz)



# WHY KIWIS CHOOSE GARDEN MASTER SHEDS



GM2311



GM1818



GM2323

## Custom built

Garden Master brings you New Zealand's most customisable kit-set garden sheds. Pick your roof style, size, colour, window and door placement to suit your needs.



## Easy to assemble

In panel form most of our sheds are made up of only 4 walls and the roof, and can be erected in only one hour! All you need is a drill, screwdriver or riveter and maybe an extra pair of hands. Step-by-step DVD instructions will come with your shed along with all the screws or rivets to complete the job.



## Built to last

Garden Master Sheds are made from high tensile steel, formed into a deep ribbed profile. It is the "rib" that provides the inherent strength of your shed. Closely spaced ribs with heavy gauge channels form a strong panel that acts as a tension membrane when assembled, making extra framework unnecessary.

**HIGH TENSILE STEEL**

## Kiwi know-how

Family owned and operated, we've been supplying New Zealanders with garden sheds since 1974.

**SUPPLYING SHEDS TO KIWIS SINCE 1974**

## New Zealand made

As a family we have made it our job to ensure you get the very best service and the right product at the right price. All our materials are sourced only from reputable suppliers and roll-formed in our own factory.



## NEW! 18 year warranty

If any component of our shed fails – we will replace it! Make sure your shed is built and secured to our instructions as a minimum. Warranty does not cover damage or loss through act of God. Please inform your insurance provider.

Phone 0800 807 433 for tips on high wind sites.



## BOXED VS PANEL SHEDS

The boxed shed is delivered in smaller pieces to make handling and transport easier and more economical. The complete shed will come broken down in one cardboard box and in most cases a longer plastic wrapped channel pack. The boxed sheds are still very much an 'easy to assemble' package with the door being pre-assembled and pre-hinged. Comes complete with hardware and screws or rivets. Floor sold separately.



The panel sheds are exactly the same as the boxed shed but the assembly will only require a quarter of the time. Our factory team has made it easy for you by assembling all the components into four walls and the roof panels. Just join the corners and slip the roof on. Available in the North Island only.



**NO MATTER WHAT YOUR STYLE THERE'S A GARDEN MASTER SHED TO SUIT YOU!**



Find a retailer near you visit [www.gardenmastersheds.co.nz](http://www.gardenmastersheds.co.nz)

For a quick and easy online quote, visit [www.gardenmastersheds.co.nz](http://www.gardenmastersheds.co.nz)





# BUILD YOUR SHED IN 4 EASY STEPS

Choosing your Garden Master shed is a simple, step-by-step process – and building it is even easier! Start by choosing the appropriate size – determined by available space and what you intend to store in it. This will also determine the need for single or double doors. Our new online quoting system has made it easier than ever to order your shed.

To get started, follow the easy steps below or visit our website for a quick and easy online quote.

**GET A QUICK  
AND EASY  
ONLINE  
QUOTE**  
AT

[www.gardenmastersheds.co.nz](http://www.gardenmastersheds.co.nz)



## PICK YOUR STYLE

**FLAT ROOF** A simple, traditional design. Can be upgraded to sloping roof. No taller than a 6' fence for discreet locating.



**GM1508**  
1530 (w) x 785 (d)  
x 1830 (h) mm  
Area: 1.78m<sup>2</sup>



**GM2308**  
2280 (w) x 785 (d)  
x 1830 (h) mm  
Area: 1.19m<sup>2</sup>



**GM1511**  
1530 (w) x 1080 (d)  
x 1830 (h) mm  
Area: 1.65m<sup>2</sup>



**GM1811**  
1830 (w) x 1080 (d)  
x 1830 (h) mm  
Area: 1.98m<sup>2</sup>



**GM2311**  
2280 (w) x 1080 (d)  
x 1830 (h) mm  
Area: 2.46m<sup>2</sup>



**GM3011**  
3030 (w) x 1080 (d)  
x 1830 (h) mm  
Area: 3.27m<sup>2</sup>



**SLOPING ROOF** Increased height at the front of the shed allows water to run to the rear. Can be upgraded to gable roof. Height: 1980mm at front, 1830mm at back.



**GM1515**  
1530 (w) x 1530 (d)  
x 1980 (h-max) mm  
Area: 2.34m<sup>2</sup>



**GM1815**  
1830 (w) x 1530 (d)  
x 1980 (h-max) mm  
Area: 2.80m<sup>2</sup>



**GM2315**  
2280 (w) x 1530 (d)  
x 1980 (h-max) mm  
Area: 3.49m<sup>2</sup>



**GM3015**  
3030 (w) x 1530 (d)  
x 1980 (h-max) mm  
Area: 4.64m<sup>2</sup>



**GM3815**  
3770 (w) x 1530 (d)  
x 1980 (h-max) mm  
Area: 5.77m<sup>2</sup>



**GM1818**  
1830 (w) x 1830 (d)  
x 1980 (h-max) mm  
Area: 3.35m<sup>2</sup>



**GM2318**  
2280 (w) x 1830 (d)  
x 1980 (h-max) mm  
Area: 4.17m<sup>2</sup>



**GM3018**  
3030 (w) x 1830 (d)  
x 1980 (h-max) mm  
Area: 5.54m<sup>2</sup>



**GM3818**  
3770 (w) x 1830 (d)  
x 1980 (h-max) mm  
Area: 6.90m<sup>2</sup>

**GABLE ROOF** An aesthetically pleasing style which is higher in the centre. Water runs out to both sides of the shed. Height: 1830mm at front and back. Centre ridge height varies with width.



**GM2323**  
2280 (w) x 2280 (d)  
x 1830 (h-min) mm  
Area: 5.20m<sup>2</sup>  
Height in centre: 2025mm



**GM3023**  
3030 (w) x 2280 (d)  
x 1830 (h-min) mm  
Area: 6.91m<sup>2</sup>  
Height in centre: 2025mm




**GM3823**  
3770 (w) x 2280 (d)  
x 1830 (h-min) mm  
Area: 8.60m<sup>2</sup>  
Height in centre: 2025mm



**GM3030**  
3030 (w) x 3030 (d)  
x 1830 (h-min) mm  
Area: 9.18m<sup>2</sup>  
Height in centre: 2090mm



**GM3830**  
3770 (w) x 3030 (d)  
x 1830 (h-min) mm  
Area: 11.42m<sup>2</sup>  
Height in centre: 2090mm



**GM3838**  
3770 (w) x 3770 (d)  
x 1830 (h-min) mm  
Area: 14.21m<sup>2</sup>  
Height in centre: 2155mm



GM3823 in Gull Grey walls with Grey Friars trim and roof. Extras: Double doors, extra door, Locking T-Handles, 100mm extra wall height and skylite.

GM2315 in Titania with door change to corner.

GM3830 in Zincolume with double doors and door change to end wall.

GM2315 with upgrade to gable roof and double doors. Shown in Titania with Permanent Green roof and trim.

GM3018 with double doors, extra door and door changes to end wall and corner. Shown in Desertsand with Ironsand roof and trim.

GM3838 with louvre window, double doors, GM securi-door and skylite. Shown in Smooth Cream walls with a Grey Friars roof and matching trim.

## CHOOSING THE RIGHT SHED

### SIZE MATTERS

Approximate footprint dimensions of common items housed in sheds:

Lawnmower	750mm x 500mm
Lawnmower (handle up)	1500mm x 500mm
Adults pushbike	1700mm x 600mm
Ladder	200mm x 500mm
4 Burner BBQ	1500mm x 600mm
Wheelbarrow	1300mm x 500mm
Single kayak	3200mm x 750mm
Quad bike	2100mm x 1200mm

### SECURITY

The good old hinged door has been a strong point with Garden Master sheds for many years. No plastic rollers or sliders to wear out and drop off. All exposed rub points are double folded for your safety. Optional double doors provide a large 1550mm wide opening for easier access. All doors come fully braced and for added security we offer the GM Securi-door (a double padbolt door) and locking T-handle. They also have concealed hinges, meaning the door has to be opened before the hinges can be removed. Doors can be positioned almost anywhere on your shed (a small charge may apply to end walls or corners).

### TOUGH AS NAILS

With zincolume steel, you can be assured your shed will be there to stay for the long haul. Zincolume has been tried and tested in NZ conditions and has proven to far exceed galvanised, particularly in coastal areas.

**For more detailed information:**  
[www.gardenmastersheds.co.nz](http://www.gardenmastersheds.co.nz)

# BUILD YOUR SHED IN 4 EASY STEPS

Continued from previous page.

## 2

### PICK YOUR COLOUR

Personalise your shed with our Mix & Match system. You can customise the look of your shed to suit any landscape. Whether you prefer to have your shed all in one colour, or mix roof and wall colours, we will accommodate your needs.



Colours shown are reproduced as accurately as the limitations of the printing process allows. Please ask your retailer to see a genuine coloursteel colour chart.

## 3

### PICK YOUR FLOORS, DOORS & WINDOWS

We suggest all sheds have a floor with extra hold-down fixings in windy areas. Wooden flooring is available as an optional extra. For complete flooring details, including concrete floors, visit [gardenmastersheds.co.nz](http://gardenmastersheds.co.nz)



Double Doors  
1550mm (w) opening



Timber floors



Windows



Choose your door positioning

#### Concrete Clamps

##### Flat floor clamp

For existing flat concreted areas using dyna-bolts. (Bolts need to be ordered separately).



##### Recessed floor clamps

For specially poured concrete floors. We recommend the recessed concrete floor system as it provides greater protection from wind lift and moisture entering under your shed. (Pre-bent bolts available separately).



See website for complete instructions

## 4

### PICK YOUR ACCESSORIES

You choose the features and ad-ons to suit you. **Optional extras and add-ons must be specified when ordering.**

Skylite roof sheet



Tool racks




Shelving



Extra wall height



GM Securi-door



Locking T-Handle



Cabin hook



Riveter



Retailer: \_\_\_\_\_  
Order No: \_\_\_\_\_



#### Order/Quote Form

Order  Quote

Name .....

Address .....

Phone .....

Model No ..... OR

Your custom size .....

Boxed  Panel  Assembled

Flat roof  Slope roof  Gable roof

Colour  Zinalume

Roof colour .....

Wall colour .....

Door colour .....

Trim colour: Door ..... Roof .....

#### Add-ons

Double doors  Qty .....  
In lieu of a single door

Extra door  Qty .....

Door change  Qty .....

Wooden floor  Qty .....

Louvre window  Qty .....  
Glass not included


Fixed window  Qty .....  
Glass not included

Skylite roof sheet  Qty .....


Extra wall height  ..... mm  
Standard extra height is 150mm

#### Layout Plan - draw as a bird's eye view

Length ..... mm



Width ..... mm



#### Optional extras

Flat floor clamp  Qty .....

Recessed floor clamps  Qty .....

Bolts (Dyna/Pre-bent)  Qty .....

Tool racks  Qty ..... sets

Shelf brackets  Qty ..... pairs

3 MDF Shelves  Qty .....  
1200mm long

GM Securi-door  Qty .....

Locking T-Handle  Qty .....

Cabin hook  Qty .....

Riveter  Qty .....

For quick answers to your questions  
visit [www.gardenmastersheds.co.nz](http://www.gardenmastersheds.co.nz)

Please check and sign before placing order

Customer signature: \_\_\_\_\_

Store signature: \_\_\_\_\_





# Hear what some of our customers have to say about us...

Cover sheds: GM3023 with double doors, louvre window and skylite. In Desertland with grey Friars roof and trim.

"A great looking shed."  
RT-Auckland

"My wife made lots of enquiries prior to ordering the shed and always found your staff great to deal with."  
AP-Auckland

"I'm very happy with the sheds, they went up quickly once the floor was constructed. And, as the floors are level and square, there were no adjustments required."  
MH-Hamilton

"The instructions were great - and yay for the DVD! Our shed is looking pretty sturdy out there on it's nice wooden floor."  
BE-Rotorua

"Would I recommend your sheds to my friends? YES!"  
PA-Cambridge

"I am very happy with all aspects of the shed. The service especially. I have no hesitation in recommending your product."  
NC- Nelson

"I was impressed with the full array of sheds and the knowledge displayed when asked questions. The shed was well constructed and drilling and riveting was an absolute breeze. I am very happy with the shed - the look, the light I get through the Nova roof panel and the space."  
TM-Havelock North

"I think the packaging is amazing. I wonder if I will one day need a third shed? Thank you for your excellent product."  
JH-Canterbury

"It did fit my needs and was a very good price for what I got. I was interested in looking at further accessories for the shed."  
AM-Queenstown

"The instructions are great and the DVD made construction a breeze. The wife already wants me to build another one!"  
RB-Timaru

"Ideal for what I need it for and it looks good in blue. I would order a larger one next time to hide more stuff!"  
PG-GORE

"All up a really easy shed to put up and great to use. I will certainly be recommending to other people."  
ST-Dunedin

My favourite retailer is:

Find a retailer near you  
visit [www.gardenmastersheds.co.nz](http://www.gardenmastersheds.co.nz)  
or call 0800 80 SHED

